## THE ACCURATERELOADING.COM BIG BORE FORUMS



Accurate reloading.com 
The Accurate Reloading Forums 
THE ACCURATE RELOADING.COM FORUMS 
Rifles 
Big Bores 
Terminal Bullet 
Performance

Page <u>1 ... 44 45 46 **47** 48 49 50 ... 304</u>



Meplat measu	rements tak	en by ink s	tamping the	meplat on	paper.								
2010/00/2017	C5-18910-1, 5381	100000000000000000000000000000000000000	01.1104900000										
						+-			_			_	
S10 Culiber	Solide & F	MJ Teutu											
Bullet	Diameter	Manian	% Meplat	Lauren	Bearing Surface			SD	Velocity	Velocity	Distance	Twist Rate	Straight
Dunet	Diameter	Megiat	эт меріас	Length	dearing surrai	- n	Duaring.	30	velocity	valuelty	Distance	TWIST RATE	Penaciatio
500 Caliber	Solids or	HAL Tests											
	A1110-	D. St. Communication of the last of the la							Muzzie	Impact	Impact		Straight
Bullet	Dlamater	Meplet	% Meplat	Length	Bearing Surface	94 00	Bearing	SD	Velocity	Velocity	Distance	Twist Rate	Penetratio
550 SSK	0.499	0.33	56,009	1.3325	0.50	5	38.00%	0.31	4 2220	2175	22 yds	1:12	6
FN								10/50/100	2212		22 yds	1:12	
					lizing this bulle	t as	well	_	0		17 R	1:12	
as it could b	e Right :	the end o	penetration	it goes uns	table.	1000	Walter Street		0		17 ft	1:12	
						- 3		- 7	2198		22 yds	1:12	6
	10.00		7 / 7 / 1		-	11			2105	1150	ZZ YOL	1.1	
	100		0.11		741				TA.	- A	A	3 7/4	
512 RN SSK	0.499	0		0		0	0	0.20	4 2048		En vote	1:18	
312 KW 351	0.490					0		0.28	2032		SO yds	1:12	
	700		- 4							Many Tests			
			4			-	- 9		1100000000	The state of the s	19		
						_				100000	F-04007-00000	2000	
510 SSK FN	0.499	0.33	86.00%	1.2315	0.64	3	51.00%	0.29	2300		22 yds 22 yds	1:12	
									2050		48 yds	1:12	
												050 to 2100	
									Control of the contro		- C-	10000	
485 SSK	0.499	0.3	60.00%	1.2315	0,40	8	33,00%	0.27			22 yds	1:13	- 5
FN						+			Average of	Many Tosts	50 B&M		
455 JDJ	0,499	0,337	67.00%	1,1305	0,36	5	\$2.00%	0.26	1 2142	2090	22 yds	1:13	5
FN	344,135,9	3,48,6								Many tests		200	
									1819		22 yds	1:12	- 4
										Many tests			
						+			1945		22 yds	1:12	
									50 BAM A				
						-			av sent of	The state of			


uster								Average of	2			
								2000	100000	-	20701	
	_	_		_			_	1925		22 yds	1:12	5
								Average of	3		_	
								2258	2170	22 yds	1:12	4
								Average of		The state of	10.130	10.0
70 Caliber S	Solid and Fi	d) Tosts										
						l		Muzzle	Impact	Impact	Top or	Straight
Sellet	Diameter	Meplet	% Meplat	Length	Bearing Surface	M Bearing	SD	Velocity	Velocity	Distance	Twist Rate	Penetration
500 Wood	0.4725	0	0	1.332	0.625	47.00%	0.31	7 2172		20 yds	1:10	20
MJ	35550.750	. 33	127	50727850	1.300000		- 100000		3 rounds-			10.1
00 Barnes												
RN	0.4725		0	0	0	0	0,31	7 2147	0	48 yds	1:10	2
220020000								Average of	2 rounds-	Very consis	itent.	
Sanded	0,473	0.316	57,00%	1,4385	0.43	30,00%	0.31	7 Not Tested				
00 Trophy	0.474	0.275	58.00%	1,307	0.125	10.00%	0.31	7 Not Tested	Almost no	hearing as	urface?????	
Sonded	- 100	00.80%	V 10 V	1 100000	0.00		100000	A CONTRACTOR OF THE	Old Trophy			
				-								
			7.00			110		-	10 1 11	116	$\mathbf{m} : \mathbf{c}$	
	10 TO		011		741			TA 3	- A-	A	FAE	73
	7 10 1		11									
	-		- 4									
58 Caliber	Sold or Fi	U Tests	$-\Delta$									
								Muzzie	Impact	Impact		Straight
Bullet	Diameter	Meplat	% Meplat	Length	Bearing Surface	M Bearing	SD	Velocity		Distance	Twist Rate	
50WoodFM.	0.458		0	0	0	0	0.87	4 0	2140	22 yds	1:14	21
		0	0								4744	
SOOWoo FMJ	0.458		U	1.389	0.48	35.00%	0.34	1 2100		22 yds 22 yds	1:14	
											-	
00 Barnes	0,456	0.5	66.00%	1,519	0,444	29.00%	0.34	1 2200	2160	22 yds	1:14	62+
Sanded								1815		22 yds	1:14	62+
								Both Veloci	ty Tests out	the harir		
							X Z	1489		22 yds		35-43 Total 52-53

	Solid or FM Diameter 0.416 0.415	Meplet 0.242	67.00%	Langth 1,51 1,536	0.279	6 Bearing 15.00% 18.00%		Velocity 0 0	2144 2235 2527 0	17 ft	Twist Rate 1:14 1:14 1:14 1:14	
r Sc	0.416 0.416 0.415	0.242 0.242 0.28	58.00% 57.00%	1,51	0.234	15.00% 18.00%	0.338	0 0 0 0	2144 2235 2527	Distance 17 ft 17 ft 17 ft 22 yds	1:14 1:14 1:14	Penetratio
0	Diameter 0.416	Meplet 0.242	58.00%	1,51	0,234	15.00%	0.338	Velocity 0 0	2144 2235 2527	Distance 17 ft 17 ft 17 ft	1:14 1:14 1:14	Penetratio
0	Diameter 0.416	Meplet 0.242	58.00%	1,51	0,234	15.00%	0.338	Velocity 0 0	2144 2235 2527	Distance 17 ft 17 ft 17 ft	1:14 1:14 1:14	Penetratio
r 50	Diameter	Moplet	Dentilization in	120111111111111111111111111111111111111			875	Velocity 0 0	2144 2235	Distance 17 ft 17 ft	1:14	Penetratio
r 50	Diameter	Moplet	Dentilization in	120111111111111111111111111111111111111			875	Velocity 0	Velocity 2144	Distance 17 ft	1:14	Penetratio
r 50	Diameter	Moplet	Dentilization in	120111111111111111111111111111111111111			875	Velocity	Velocity	Distance	1,000	Penetrati
r 50			0 Marks									
	Solid or FM	J Tests										
-		-										
=	4		- 4					2331	2281	22 yds	1:14	
33	0.456	0.3	56.00%	1.021	0.236	23.00%	0.225	2138		46 yds	1:20	
	##		111			10		2043	1908	48 yde	1:14	
			9991					2051	1902	48 yds	1:14	
			1221					1828		48 yds	1:18	
•	0.457	0.288	50.00%	1.076	0.603	\$6.00%	0.272	2017		48 yds 48 yds	1:20	
d	TH.	0	1				X Z					
	0.457	0.117	69.00%	1.234	0.4	\$2.00%		0	2812	17 ft	1:14	
+	100						X2-Each	0	2160	22 yds	1:14	
	0.457	0.314	69.00%	1.362	0.42	81.00%			2212		1:14	
								Average of	Many Tests	458 BAM		
	0,456	0,5	66,00%	1,371	0,363	26,00%	0,306			ZZ yds	1:14	
#	0.457	0.302	66.00%	1.469	0,216	15,00%	0.323	0	2140	20 yds	1:14	
uy.	0,4303	0.840	37,004	1,732	0,300	44.00%	0,387	Elar	.161	Ko Yus	3,413	
dy	0,4565			1,332		44,00%			-	20 yds	1:14	
$\mp$	0.456	0.28	61.00%	1,572	0.706	45,00%	0.341	0	2198	ZZ yds	1:14	
	0.456	0.28	61.00%	1.5765	0.245	15,00%	0.341	0	2160	22 yds	1:14	
	2500	- 250.0	1770		33555	2000/00	-356			ZZ yus	1. 5.24	
	0.457 0.456		0,28	0,275 50,00% 0,28 61,00%	0,28 61,00% 1.5765	0.28 61.00% 1.5765 0.246	0.28 61.0014 1.5765 0.245 15.0014	0,28 81,00% 1.5765 0,246 15,00% 0,941	0,28 61,00% 1.5765 0.246 15.00% 0.341 0	0.28 61.00M 1.5765 0.245 15.00M 0.341 0 2160	0,28 61,00M 1.5765 0.245 15,00M 0.841 0 2160 22 yds	0,28 61,00% 1.5765 0,245 15,00% 0,341 0 2160 22 yds 1:14

Round Nose	_				1		-		ři.	112	19 11	
ound Nose												
00 Grand	0.415	0.214	52.00%	1.305	0,545	42,00%	0.331	2417 X2	2362	22 yds	1:14	
400 Barnes	0.4155	0.25	60.00%	1,478	0.469	32,00%	0.331	2497	2430	ZZ yds	1:14	
Banded	9896 1259	4908	91000180024.	20000000	0.00000		03375007	Was 1 Inch	Off Course	at 60 Inch	es XZ	
370 North	0.4155	0.271	65.00%	1.3815	0.34	25,00%	0,305			17 R	1:14	
Fork								0	2340	22 yds	1:14	
350 Barnes Banded FN	0.415	0,25	60.00%	1.3035	0,377	29,00%	0.289		2285 my Teuts 4	48 yds	1:14	
Danged FN								Average M		17 ft	1:14	
								0		17 ft	1:14	5
366 Calibor	Solid and	MJ Tosts	1					Muzzle	Impact	Impact		Straight
Bullet	Diameter	Maplat	95 Maplet	Length	Bearing Surface 9	6 Bearing	SD	Velocity	Valocity	Distance	Twist Rate	
320 Wood	0.364	0	0	1.3995	0.765	55,00%	0,841			17 R	1:12	
FMJ	-		7911			10	8 H 4	2315		17 ft 22 yds	1:12	
	177		99		741	7	11.0	2446		2.2. yes	12	
	80											
286 Barnes Banded FN	0,365	0.175	48.00%	1,399	0,496	35,00%	0.305	0		17 ft	Unknown	
Danies PR								2598		22 yds	1:12	

Jim "Life's hard; it's harder if you're stupid"
John Wayne

Posts: 4954 | Location: Central Texas | Registered: 15 September 2007



michael458 One of Us



posted 10 March 2010 01:11

Hide Pos

## auote:

# Originally posted by Gerard:

Michael.

Expansion of the meplat starts at impacts around 2300fps. Obviously expansion depends on the SD of the bullet and how fast it is slowed down in target. Mainly, the expansion enhances the qualities that make for straight line penetration rather than detract from it.

I have access to a website that is needing some content. If you want to post the spreadsheet there as a download, you are welcome. Mail it to me and I will get it up. In fact, anyone who has an article or item of interest to put up, mail it to me and we can create a category for it, if it needs it, and place it.

### Gerard

I had in the past always contended that any deformation would or possibly could detract from straight line penetration. But I am not so sure of that these days, with as much as we are learning here. A lot of myths have been dispelled thus far. I understand the concept, and it does seem logical that by expanding the meplat upon impact, causing it to enlarge, larger meplat, deeper and straighter penetration! As long as that expanding meplat is even, which it seems to be. At least it certainly does not seem to distract from penetration from what we see.

Since I rarely run much big bore past 2300 with the exception of 416 then for me personally it does not come into effect.

Thanks so much for the offer to post on the site! It looks like Jim got it sorted out for us, as I knew he most likely would figure it out.

## http://www.b-mriflesandcartridges.com/default.html

The New Word is "Non-Conventional", add "Conventional" to the Endangered Species List! Live Outside The Box of "Conventional Wisdom"  $[Tonventional \ Wisdom]$ 

I do Not Own Any Part of Any Bullet Company, I am not in the Employ Of Any Bullet Company. I do not represent, own stock, nor do I receive any proceeds, or monies from ANY BULLET COMPANY. I am not in the bullet business, and have no Bullets to sell to you, nor anyone else.

Posts: 8426 | Location: South Carolina | Registered: 23 June 2008







posted 10 March 2010 01:24

Hide Post

### Jim

I knew there was a reason I keep you around! Excellent job! Don't know how you did that, not sure I want to know either! Maybe I experiment for the next updated sheet and enlarge the print some so we can see it! Hell I know what's on there and I can barely make it out! Larger Print for the next one!

As for the measurements, stamping is the only way I have confidence of being consistent with all bullets. For our purposes I think it will be enough.

## RIP

Well I had a suspicion that either you or Jim would figure the spreadsheet out. I was correct!

I think a good test again with the same .395 bullet in the Sim-Test, eh? Might see Sim explode everywhere? Good concept, I just have not seen it.

Yes, will do the Hornady DGS! When they come in I will hammer them at several velocities and see what we see. As you see posted under the 458 section the one test did not do so well with the 480. So I don't put a lot of faith in them being able to perform with the big boys! Yes, I know all to well that 465HH did very good with them, and from what I have seen he is recommending them now! What would he do if he ever shot a North Fork or Barnes Banded into an elephant, and saw how good that performed I wonder?

good that performed I wonder?

Thanks, good info!

Yes, every update I will send to Jim and Jim can post it! Maybe I will ask him how, but he does things that are too complicated for me to deal with! Good man to have on the team! (But he will drive you Quickload Crazy-so don't ask about that-and he is the Quickload King)

Didn't you say you were going to be in Charlotte at the NRA Convention?

## http://www.b-mriflesandcartridges.com/default.html

The New Word is "Non-Conventional", add "Conventional" to the Endangered Species List! Live Outside The Box of "Conventional Wisdom"

I do Not Own Any Part of Any Bullet Company, I am not in the Employ Of Any Bullet Company. I do not represent, own stock, nor do I receive any proceeds, or monies from ANY BULLET COMPANY. I am not in the bullet business, and have no Bullets to sell to you, nor anyone else.





Hide Post

## auote:

Originally posted by michael458:

I knew there was a reason I keep you around! Excellent job! Don't know how you did that, not sure I want to know either! Maybe I experiment for the next updated sheet and enlarge the print some so we can see it! Hell I know what's on there and I can barely make it out! Larger Print for the next one!

As for the measurements, stamping is the only way I have confidence of being consistent with all bullets. For our purposes I think it will be enough.

RIP

Well I had a suspicion that either you or Jim would figure the spreadsheet out. I was correct!

I think a good test again with the same .395 bullet in the Sim-Test, eh? Might see Sim explode everywhere? Good

Buffalo

Yes, will do the Hornady DGS! When they come in I will hammer them at several velocities and see what we see. As you see posted under the 458 section the one test did not do so well with the 480. So I don't put a lot of faith for what I have seen he is recommending them now! What would be do if he ever shot a North Fork or Barnes

Banded into an elephant, and saw how good that performed I wonder?

Andy

Thanks, good info!

IBT

Yes, every update I will send to Jim and Jim can post it! Maybe I will ask him how, but he does things that are too complicated for me to deal with! Good man to have on the team! (But he will drive you Quickload Crazy-so don't ask about that-and he is the Quickload King)

Didn't you say you were going to be in Charlotte at the NRA Convention?

Michael

### Michael,

I have already done that with the NF. Check my last hunt report for the results.

### 465H&H

Posts: 5686 | Location: Nampa, Idaho | Registered: 10 February 2005

Hide Pos

€"



posted 10 March 2010 03:55

465

HEH! Depends on where you put the hunt report. I don't spend much time upstairs, it's a little to "pompous" for my tastes. Most of the time I cruise through just curious at what ignorant stupidity I might run across for laughs. And if you are posting it upstairs you are pretty much wasting your energy there, if it has to do with shooting and bullets, it needs to be here where at least it can be looked at by shooters.

## 3/10/10


You know this statement is a bit ugly, and for that I apologize for the rudeness of it, in doing my best to be a gentleman! But none the less, it's very hard for me to tolerate rudeness, arrogance, ego and ignorance, traits combined together as one in others in which they consider themselves legends in their own minds because of some sort of experience or another. Not directed at you 465 HH at all, but some you hang around with! I think you should keep better company and stay down here with us! Most of the time I simply ignore, but once and awhile I cannot abide by such, and simply must take them to task!

## //www.b-mriflesandcartridges.com/default.html

The New Word is "Non-Conventional", add "Conventional" to the Endangered Species List! Live Outside The Box of "Conventional Wisdom"

I do Not Own Any Part of Any Bullet Company, I am not in the Employ Of Any Bullet Company. I do not represent, own stock, nor do I receive any proceeds, or monies from ANY BULLET COMPANY. I am not in the bullet business, and have no Bullets to sell to you, nor anyone else.





Hide Post



IBT

posted 10 March 2010 16:15

http://www.b-mriflesandcartridges.com/default.html

The New Word is "Non-Conventional", add "Conventional" to the Endangered Species List! Live Outside The Box of "Conventional Wisdom"

I do Not Own Any Part of Any Bullet Company, I am not in the Employ Of Any Bullet Company. I do not represent, own stock, nor do I receive any proceeds, or monies from ANY BULLET COMPANY. I am not in the bullet business, and have no Bullets to sell to you, nor anyone else.

OK then I suppose I won't see you there. I don't make many shows anymore. I do love SHOT and the NRA, and since NRA is in my back door nearly I will be there for Friday and Saturday on the floor. I won't attend other functions, just the floor!











posted 11 March 2010 16:22

Hide Post

I think I might have the spreadsheet thing figured out. Also made some improvements on the way it appears (I think) since I have and keep the data. If this works well, then it is not an issue for me to update and post when needed. So we see below?

								Muzzle	Impact	Impact		Straight
Bullet	Diameter	Meplat	% Meplat	Length	Bearing Surface	ce% Bearing	SD	Velocity	Velocity	Distance	Twist Rate	Penetration
550WoodFM	0.458	0	0	0	(	0 0	0.374	0	2146	22 yds	1:14	2.8
500Woo FM	0.458	0	0	1.389	0.4	8 35.00%	0.341	2100	2051	22 yds	1:14	31
								1827	1776	22 yds	1:14	2.4
500 Barnes	0.456	0.3	66.00%	1.519	0.44	4 29.00%	0.341	2209	2160	22 yds	1:14	62+
Banded								1815		22 yds		62+
							X2	Both Veloc		t the back	of the box!	35-43
							X 2	1403	1433	ZZ yos	1:14	52-53
							X 2	2213	2148	22 yds	1:14	
500 Nosler	0.457	0.275	60.00%	1.530	0.70	6 46.00%	0.341	0	2181	22 yds	1:14	62
500 Super Penetrator	0.456	0.28	61.00%	1.5765	0.24	6 15.00%	0.341	0	2160	22 yds	1:14	30
500 Rhino	0.456	0.28	61.00%	1.572	0.70	6 45.009	0.341	0	2198	22 yds	1:14	5 8
480Hornady DGS	0.4565	0.246	54.00%	1.332	0.58	6 44.009	0.327	2157	2121	20 yds	1:14	31
475 JDJ	0.457	0.302	66.00%	1.469	0.21	6 15.00%	0.323	0	2140	20 yds	1:14	62
450 Barnes Banded	0.456	0.3	66.00%	1.371	0.36	3 26.00%	0.306		2172 f Many Test	22 yds	1:14	5 6
bandeu								Average of	many res	15 436 BQ	1	
450 North	0.457	0.314	69.00%	1.362	0.4	2 31.00%		0	2212	17 ft	1:14	53
Fork							X2-Each	0	2160	22 yds	1:14	5 6
400 Wood Mono	0.457	0.317	69.00%	1.234	0.	4 32.009	0.272 X2	0	2312	17 ft	1:14	50
400 Barnes	0.457	0.268	58.00%	1.076	0.60	3 56.00%	0.272	2017	1877	48 yds	1:20	28
Buster								2051		48 yds	1:20	
								1828	1698	48 yds	1:18	2.8
								2051	1902	48 yds	1:14	33
								2043	1908	48 yds	1:14	3 4
330 Barnes	0.456	0.3	66.00%	1.021	0.23	6 23.00%	0.225	2138	1937	48 yds	1:20	
Banded								2331	2281	22 yds	1:14	50

### http://www.b-mriflesandcartridges.com/default.html

The New Word is "Non-Conventional", add "Conventional" to the Endangered Species List! Live Outside The Box of "Conventional Wisdom"

I do Not Own Any Part of Any Bullet Company, I am not in the Employ Of Any Bullet Company. I do not represent, own stock, nor do I receive any proceeds, or monies from ANY BULLET COMPANY. I am not in the bullet business, and have no Bullets to sell to you, nor anyone else.

Posts: 8426 | Location: South Carolina | Registered: 23 June 2008







posted 11 March 2010 16:23

Hide Post

Well that appears pretty good looks like to me!

Michael

## http://www.b-mriflesandcartridges.com/default.html

The New Word is "Non-Conventional", add "Conventional" to the Endangered Species List! Live Outside The Box of "Conventional Wisdom"

I do Not Own Any Part of Any Bullet Company, I am not in the Employ Of Any Bullet Company. I do not represent, own stock, nor do I receive any proceeds, or monies from ANY BULLET COMPANY. I am not in the bullet business, and have no Bullets to sell to you, nor anyone else.

Posts: 8426 | Location: South Carolina | Registered: 23 June 2008







posted 11 March 2010 17:23

It would be nice to have the expandable data, and 338, too, when you get a chance.

"A well-rounded hunting battery might include: 500 AccRel Nyati, 416 Rigby or 416 Ruger, 375Ruger or 338WM, 308 or 270, 243, 223" -- Conserving creation, hunting the harvest.

Posts: 4253 | Registered: 10 June 2009







posted 11 March 2010 17:46

Hide Post

### Tanzan

When I saw your post in my email, I remembered, wait, in the solids we also did a 250 Barnes 338, that I neglected putting on the spreadsheet.

What has been posted is Solids and FMJ only---no expanding bullets. The way I keep terminal data is by caliber. All expanding and solids are on those sheets, but, this was a request from Capoward which included all measurements of solids, so it is totally separate sheet from the other data.

As for expanding, yes that is something I can work on and get posted now that I know how to do it.

I will endeavor to get some data posted.

### Michael

## http://www.b-mriflesandcartridges.com/default.html

The New Word is "Non-Conventional", add "Conventional" to the Endangered Species List! Live Outside The Box of "Conventional Wisdom"

I do Not Own Any Part of Any Bullet Company, I am not in the Employ Of Any Bullet Company. I do not represent, own stock, nor do I receive any proceeds, or monies from ANY BULLET COMPANY. I am not in the bullet business, and have no Bullets to sell to you, nor anyone else.



Hide Pos

Tanzan

How's this work for you? Blue is for Approved Loads Yellow for Loads that Need More Tests Terminal Performance Tests for .338 Caliber Bullets Date Bullet Muzzle Impact Impact Penetration Retained Velocity FPS Velocity FFDistance Inches Weight 338 Ultra Terminal Tests---Wet Print/Magazine Mix 1/26/10 160 BarTTSX 1/26/10 185 BarTTSX 3113 2985 48 yds 159 3095 48 yds 11" 3201 184 1/20/10 210 Barnes X 3080 48 yds 209 1/20/10 210 Nosler P 3155 3030 48 yds 162 3040 48 yds 1/20/10 225 Hornady 3144 145 1/20/10 225 Nosler A 0 48 yds 125 Trauma 2948 48 yds 2951 48 yds 1/20/10 225 RemBond 3108 10 147 Extreme Trauma 4" 1/20/10 225 Wood PP 10 163 Extreme Trauma 4" 3113 3017 48 yds 1/20/10 225 Swift 3130 206 1/26/10 225 BarTSX 1/20/10 250 Hornady 3177 3027 48 yds 18" 171 Petals Shear-Trauma 2977 2866 48 vds 146 1/20/10 250 Nosler P 2963 2873 48 yds 16" 195 1/20/10 250 BarSolid 1/20/10 250 BarSolid 2022 48 yds 2545 48 yds 2170 48" 250 Straight Line Penetration 2747 60' 250 Straight Line Penetration 1/20/10 275 Swift 2798 2677 48 yds 17" 261 Muzzle mpact Impact Penetration Retained Weight Velocity FPS Velocity FFDistance Inches 338 Winchester Terminal Performance---2010 Tests wet print/mag Mix 159 136 1/26/10 160 BarTTSX 2959 2831 48 yds 1/22/10 180 Nosler A 2837 48 yds 10" 2991 1/26/10 185 BarTTSX 2974 2872 48 yds 11" 184 1/22/10 200 NoslerBT 2947 2854 48 yds 10" 133 1/22/10 215 Sierra 0 48 yds 2913 11" 181 NOTE-These Tests were Old Tests-Wet Print Only! 225 Nosler 50 16" 338 Win 2693 fps 148 Good Performance--<<<250#animals Max Velocity for this bullet 2700 fps Bonded 338 Win 250 Hornady 2640 fps 50 - - - -170 Very Good Performance---<<<250# animals Max Velocity for this Bullet 2650 fps 1/20/10 210 Barnes X 2887 2783 48 yds 209 1/20/10 210 Nosler P 2917 2799 48 yds 12' 151 1/20/10 225 Hornady 2878 0 48 yds 167 1/20/10 225 Nosler A 2884 2788 48 yds 13" 145 1/20/10 225 Reminaton 2851 2724 48 vds 13' 200 1/20/10 225 Wood PP 2717 48 yds 2859 13" 195 1/20/10 225 Swift 2934 2821 48 yds 14 202 1/26/10 225 BarTSX 2883 2753 48 yds 15' 225 1/22/10 250 Hornady 2585 48 yds 176 2676 1/22/10 250 Nosler P 2736 2645 48 yds 16" 200 1/22/10 250 Swift A 2644 2534 48 yds 18 242 2/12/10 250 BarTSX 2525 2469 22 yds 18" 250 2/12/10 250 BarTSX 2699 2640 2 yds 250

http://www.b-mriflesandcartridges.com/default.html

338 WSM Terminal Performance----Wet Print/Magazine Mix

The New Word is "Non-Conventional", add "Conventional" to the Endangered Species List! Live Outside The Box of "Conventional Wisdom"

 $I \ do \ Not \ Own \ Any \ Part \ of \ Any \ Bullet \ Company, \ I \ am \ not \ in \ the \ Employ \ Of \ Any \ Bullet \ Company. \ I \ do \ not \ represent, \ own \ stock, \ nor \ do \ I \ receive \ any \ proceeds, \ or \ monies \ from \ ANY \ BULLET \ COMPANY. \ I \ am \ not \ in \ the \ bullet \ business, \ and \ have \ no \ Bullets \ to \ sell \ to \ you, \ nor \ n$ anyone else.

Posts: 8426 | Location: South Carolina | Registered: 23 June 2008





posted 11 March 2010 18:01

Hide Post

Michael, PM sent......

"Ignorance you can correct, you can't fix stupid." JWP

If stupidity hurt, a lot of people would be walking around screaming.

Semper Fidelis

"Building Carpal Tunnel one round at a time"

Posts: 13440 | Location: Virginia | Registered: 10 July 2003

€"



	Terminal I	Performance Tests	for .338 Calibe	r Bullets					
	Date	Bullet	Muzzle Velocity FPS	Impact Velocity FI	Impact FDistance	Penetration Inches	Retained Weight		
	338 Ultra	Terminal Tests-	Wet Print/Mag	gazine Mix					
	1/26/10	160 BarTTSX 185 BarTTSX 210 Barnes X	3113 3201 3211	3095	48 yds 48 yds 48 yds	10" 11" 11"	159 184 209		
	1/20/10 1/20/10 1/20/10	210 Nosler P 225 Hornady 225 Nosler A 225 RemBond 225 Wood PP	3155 3144 3152 3108 3113	3040 0 2948	48 yds 48 yds 48 yds 48 yds 48 yds	11" 11" 10" 10"	147		
	1/26/10 1/20/10 1/20/10	225 Swift 225 BarTSX 250 Hornady 250 Nosler P	3130 3177 2977 2963	3017 3027 2866 2873	48 yds 48 yds 48 yds 48 yds	15" 18" 11" 16" 48"	146 195	Petals Shear-Trauma	
	1/20/10	250 BarSolid 250 BarSolid 275 Swift	2170 2747 2798	2545	48 yds 48 yds 48 yds	60" 17"		Straight Line Penetration Straight Line Penetration	
		1114					nerviced.	a la la	
	338 Wincl	hester Terminal F	Muzzle Velocity FPS Performance20	Velocity FI		Penetration Inches	Retained Weight	oucke	
	1/22/10	160 BarTTSX 180 Nosler A	2959 2991	2837	48 yds 48 yds	10"	159 136		
	1/22/10 1/22/10	185 BarTTSX 200 NoslerBT 215 Sierra gistered: 10 June	2974 2947 2913	2854	48 yds 48 yds 48 yds	11" 10" 11"	184 133 181		
itworth erator	338 Win po	225 Nosler steedded March 201 250 Hornady natever happene	2693 fps 0 21:01 2640 fps	t Hammerh	50	16"	170	NOTE-These Tests were Old Tests-Wet Good Performance<<<<50#animals Max Velocity for this bullet 2700 fps Very Good Performance<<<250# a Max Velocity for this Bullet 2650 fps	Hide Post
	1,/20/10 1/20/10	210 Barnes X nce you can corr 210 Nosier P	ect, you can't f	ix stupid 99	48 yds 48 yds	13"	209 151		
	1/20/10 15/6/h/6/4 1/20/10	dicy hurting Not of 225 Nosler A Pide figmington 225 Wood PP	2884 2851 2859	2788 2724 2717	48 yds 48 yds 48 yds	13" 13" 13"	167 145 200 195		
		g2@arpalfTunnel 225 BarTSX	one roundzaka 2883 Virginia   Regist	2753 tered: <b>193</b>		14" 15" 14"	202 225 176		ď
	1/22/10	250 Nosler P	2736			16"	200		
poward e of Us	1/22/10 1/22/30 2/12/10 2Nice/pio	250 Nosler P sæ5019.Må rch 201 250 BarTSX tage Michaelno	0 22:04 2644 2525	2534 2469	48 yds 22 yds	18" 18"	242 250 250		Hide Post
	1/22/10 1/2/ jo 2/12/10 2/12/10 2/12/10 3/10/2/10/2/10/2/10/2/10/2/2/2/2/2/2/2/2/	250 Nosler P seaD15mMarch 201 250 BarTSX ttege Michaelnot ard; it's harder if ayAerminal Perfor	0 22:04 2644 2525 t as perky 2009 you're stupid" manceWet P	2534 2469 esterdag4.b	48 yds 22 yds out nice none e Mix	18" 18" theless.	242 250		
of Us	1/22/10 1/p2/p6 2/T2/10 aNice/pio Jim Fr "Life's h 33.50 hW Me Posts: 4 Hey Michael, tha	250 Nosler P sæði þjú Markh 201 250 Bartsx ttgrei Midnag Lnoi 3 3 3 3 3 4 3 5 4 4 5 5 5 6 6 7 7 8 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8	0 22:04 2644 2525 t as perky 2899/ you're stupid" manceWet P entral Texas	2534 2469 esterda (4.0) rint/Magazin Registered:	48 yds 22 yds utynice none  Mix  15 September	18" 18" theress.	242 250 250	er.	ල
arpsguy e of Us	1/22/10 1/2/2/0 2/T2/10 2/Nice/pio 33.30/h/W-W- 33.30/h/W-W- Posts: 4 Hey Mich ael, tha po There are going I've bee Posts: 8 "A well-rounded 500 AccRet Nyati	250 Nosler P ske 15 15 White Ach 201 250 Bart SX ture Michael not  2 3 3 3 3 3 3 3 4 3 5 4 5 5 6 7 7 8 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8	22:04 2644 2525 t as perky assyr  you're stupid" manceWet P entral Texas   0 23:28 unkful animals i e same thing as st Texas   Regis midht include: 6 Ruger, 375R	2534 2469 esterda v.4.0 Print/Magazin Registered: n. the forest s Whitworth	48 yds 22 yds 22 yds 22 yds 24 yds 25 yds 26 yds 26 yds 27 yds 27 yds 28	18" 18" theress.  er 2007  orderly invitate bened to the 6007	242 250 250 250	er.	
orpsguy of Us	1/22/10 1/2/2/20 2/12/10 2/12/	250 Nosler P ské Ú Str March 201 250 Bart SX tuge Michael nol  gard; it's harder if yapperminal Perfor 954   Location: Ct tworks for met sted 11 March 201 to be a lot of the on wondering the hunting battery	22:04 2644 2525 t as perky 2099 you're stupid" manceWet Pentral Texas   0 23:28 unkful animals i e same thing as st Texas   Regis might include: 6 Ruger, 375R th@4v25t.	2534 2469 esterda v.4.0 Print/Magazin Registered: n. the forest s Whitworth stered: 03 N uger or 338	48 yds 22 yds 22 yds 22 yds 24 yds 25 yds 26 yds 26 yds 27 yds 27 yds 28	18" 18" theress.  er 2007  orderly invitate bened to the 6007	242 250 250 250	er.	Hide Post
arpsguy of Us	1/22/10 1/2/2/00 2/T2/10 2/T2/10 2/T2/10 2/T2/10 3/Sice/pio 3/Sich/W/W Posts: 4 Hey Michael, tha po There are going I've bee 1/4 well-rounded 500 AccRet Nyati Conservi Yes, the	250 Nosler P ske 15 15 Mark 201 250 Bart SX ture Michael not  arad; it's harder if avageminal Perfor  954   Location: Co t works for met sted 11 March 201 to be a lot of the en wondering the number of   Location: Eac hunting battery , 416 Rigby or 41 sked, Jiù Maireg 1804 e 45-70 Hammer  may expand to a	22:04 2644 2525 t as perky 28999 you're stupid" manceWet P entral Texas   0 23:28 unkful animals i e same thing as st Texas   Regis midht include: 6 Ruger, 375R th@4v&st. Heads, what h	2534 2469 esterda 44b  rrint/Magazin Registered:  n the forests s Whitworth stered: 03 N uger or 338 appened?	48 yds 22 yds put ynice none  Mix  15 September  t for a neat, h. What happ  lovember 20  8WM, 308 or  ain't going t	18" 18" theress.  er 2007  orderly invital bened to the of	242 250 250 250 250 250	er. nmerhead test?	Hide Post
orpsguy of Us	1/22/10 1/2/2/10 2/T2/10 2/T2/10 2/T2/10 3/Sire/pio 3/Sire/pio 3/Sire/pio 3/Sire/pio 4 Hey Mich ael, tha po There are going 1've bee 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	250 Nosler P ske 15 15 Mark 201 250 Bart SX ture Michael not  arad; it's harder if avageminal Perfor  954   Location: Co t works for met sted 11 March 201 to be a lot of the en wondering the number of   Location: Eac hunting battery , 416 Rigby or 41 sked, Jiù Maireg 1804 e 45-70 Hammer  may expand to a	22:04 2644 2525 t as perky 28999 you're stupid" mance	2534 2469 esterda 44b  rrint/Magazin Registered:  n the forest s Whitworth stered: 03 N uger or 338 appened?  er, but a 45 h, but most	48 yds 22 yds put ynice none  Mix  15 Septemb  t for a neat, h. What happ  lovember 20  SWM, 308 or  ain't going t	18" 18" theress.  er 2007  orderly invital bened to the of	242 250 250 250 250 250	er.	Hide Post
arpsguy e of Us	1/22/10 1/2/2/0 2/Tic/2/0	250 Nosler P see 15 15 March 201 250 BartSX ture Michael not  arard; it's harder if avargeminal Perfor  954   Location: Ca t works for met sted 11 March 201 to be a lot of tha en wondering the  07   Location: Each hunting battery , 416 Rigby or 41 sted, IliuMaing 1004 e 45-70 Hammer  may expand to a casionally stumblon Churchill	22:04 2644 2525 t as perky 28999 you're stupid" manceWet P entral Texas   0 23:28 unkful animals i e same thing as st Texas   Regis midht include: 6 Ruger, 375R the vest. Heads, what h larger diamete e over the trut SA   Registered:	2534 2469 esterda (44)  rrint/Magazin Registered:  n the forest s Whitworth stered: 03 N uger or 338 appened?  er, but a 45 h, but most	48 yds 22 yds 22 yds 22 yds 25 yds 26 yds 27 yds 27 yds 28 yds 29 yds 20	18" 18" theress.  er 2007  orderly invital bened to the of	242 250 250 250 250 250	er. nmerhead test?	Hide Post
arpsguy e of Us	1/22/10 1/2/10 2/12/10	250 Nosler P see 15 15 March 201 250 BarTSX tuge) Midnag Lnoi  26 Jard; it's harder if ard; it's harder if ard; it's harder if 27 Location: Co tworks for mel- sted 11 March 201 to he a lot of the en wondering the 20 Location is the en wondering the en wondering the converse is the seed of the en wondering the en wondering the converse is the seed of the en wondering the en wondering the converse is the seed of the en wondering the en wonderi	22:04 2644 2525 t as perky 28999 you're stupid" manceWet P entral Texas   0 23:28 unkful animals i e same thing as st Texas   Regis might include: -6 Ruger, 375R 0 44v25t.  Heads, what h larger diamete e over the trut SA   Registered: 0 05:53 some Hammer	2534 2469 esterda (44)  rrint/Magazin Registered:  n the forest s Whitworth stered: 03 N uger or 338 appened?  er, but a 45 h, but most	48 yds 22 yds 22 yds 22 yds 25 yds 26 yds 27 yds 27 yds 28 yds 29 yds 20	18" 18" theress.  er 2007  orderly invital bened to the of	242 250 250 250 250 250	er. nmerhead test?	Hide Post



Accurate reloading.com The Accurate Reloading Forums THE ACCURATE RELOADING.COM FORUMS Rifles Degree Terminal Bullet Performance

Contact Us | Accuratereloading.com | Terms of Service

Copyright December 1997-2023 Accuratereloading.com
Community Statistics

Statistics for the last 30 days

New Posts 5275

New Members 24

Page Views 2743857

Visits 504208

Newest Member RedRaider4400



Visit our on-line store for AR Memorabilia